



AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 19/02/2015

Revision date: 01/04/2016

Supersedes: 19/02/2015

Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : AIR FRESHENER REFILL - CITRUS ZING
Product code : AAF133
Type of product : Aerosol
Vaporizer : Aerosol
Product group : End Product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Airpure International Limited
Airpure House
Carne House, Parsons Lane, Bury.
BL9 0JT - UK
T UK FREEPHONE 0800 005 1010
info@airpure.com - www.airpure.com

1.4. Emergency telephone number

Emergency number : +44 (0) 161 207 1010 - (09:00 - 17:00 UK TIME)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Danger
Hazard statements (CLP) : H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated
Precautionary statements (CLP) : P102 - Keep out of reach of children
P103 - Read label before use
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P211 - Do not spray on an open flame or other ignition source
P251 - Do not pierce or burn, even after use
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
EUH-statements : EUH208 - Contains Linalool, Tangerine oil, Citral. May produce an allergic reaction

2.3. Other hazards

No additional information available

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propane substance with national workplace exposure limit(s) (BE)	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5	20 - 50	Flam. Gas 1, H220
Butane substance with national workplace exposure limit(s) (GB, HU)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0	20 - 50	Flam. Gas 1, H220
Ethanol substance with national workplace exposure limit(s) (BE, FR, GB, HU, NL)	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	20 - 50	Flam. Liq. 2, H225
Diethyl phthalate substance with national workplace exposure limit(s) (BE, FR, GB)	(CAS-No.) 84-66-2 (EC-No.) 201-550-6	1 - 2	Not classified
Sweet Orange Oil substance with national workplace exposure limit(s) (BE)	(CAS-No.) 8008-57-9	< 1	Eye Irrit. 2, H319
Tangerine oil	(CAS-No.) 8008-31-9	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Citral	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6 (EC Index-No.) 605-019-00-3 (REACH-no) 01-2119462829-23	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
Lemon Oil substance with national workplace exposure limit(s) (BE)	(CAS-No.) 8008-56-8	< 1	Not classified
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (REACH-no) 01-2119474016-42	< 1	Eye Irrit. 2, H319 Skin Sens. 1, H317
Sodium Benzoate substance with national workplace exposure limit(s) (BE, FR, GB)	(CAS-No.) 532-32-1 (EC-No.) 208-534-8 (REACH-no) 01-2119460683-35	< 1	Not classified
Triethanolamine substance with national workplace exposure limit(s) (BE, NL)	(CAS-No.) 102-71-6 (EC-No.) 203-049-8 (REACH-no) 01-2119486482-31	< 1	Not classified
IsoButane substance with national workplace exposure limit(s) (BE)	(CAS-No.) 75-28-5 (EC-No.) 200-857-2 (EC Index-No.) 601-004-00-0	< 1	Flam. Gas 1, H220

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosion hazard : Pressurised container: May burst if heated.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid breathing gas. Avoid contact with skin and eyes.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible materials : Direct sunlight. Heat sources. Sources of ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³ Ethanol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	1000 ppm Ethanol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
Sodium Benzoate (532-32-1)		
United Kingdom	WEL TWA (mg/m ³)	4 mg/m ³ Inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Respirable dust; 10 mg/m ³ ; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
Butane (106-97-8)		
United Kingdom	Local name	Butane
United Kingdom	WEL TWA (mg/m ³)	1450 mg/m ³
United Kingdom	WEL TWA (ppm)	600 ppm

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Butane (106-97-8)		
United Kingdom	WEL STEL (mg/m ³)	1810 mg/m ³
United Kingdom	WEL STEL (ppm)	750 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)
Diethyl phthalate (84-66-2)		
United Kingdom	Local name	Diethyl phthalate
United Kingdom	WEL TWA (mg/m ³)	5 mg/m ³ Diethyl phthalate; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m ³)	10 mg/m ³ Diethyl phthalate; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Gas.
Colour	: No data available
Odour	: Citrus.
Odour threshold	: No data available
pH	: 6.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -11.5 °C
Boiling point	: < 100 °C
Flash point	: 41 °C
Auto-ignition temperature	: 350 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 77 psia
Relative vapour density at 20 °C	: No data available
Relative density	: < 1 (water=1)
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lower explosive limit (LEL) : 27 vol %

Upper explosive limit (UEL) : 3.4 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Contains gas under pressure; may explode if heated.

10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Lack of data)

Acute toxicity (dermal) : Not classified (Lack of data)

Acute toxicity (inhalation) : Not classified (Lack of data)

Ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg bodyweight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l/4h
Sodium Benzoate (532-32-1)	
LD50 oral rat	> 2700 mg/kg (Rat)
LD50 oral	2100 mg/kg bodyweight
LD50 dermal rat	> 7940 mg/kg (Rat)
LD50 dermal rabbit	2000 mg/kg (Rabbit)
Triethanolamine (102-71-6)	
LD50 oral rat	> 5000 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value; 6400 mg/kg bodyweight; Rat)
LD50 oral	8000 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; >2000 mg/kg bodyweight; Rabbit)
LD50 dermal	> 10000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1.8 mg/m ³
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg (Rat)
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rat	5610 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LD50 dermal	5610 mg/kg bodyweight
Lemon Oil (8008-56-8)	
LD50 oral rat	2840 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
Sweet Orange Oil (8008-57-9)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diethyl phthalate (84-66-2)	
LD50 oral rat	8600 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 5 mg/l/4h (Rat)

Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Rat)
LD50 oral	4960 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	2250 mg/kg (Rabbit)
LD50 dermal	2250 mg/kg bodyweight

Skin corrosion/irritation : Not classified (Lack of data)
pH: 6.5

Serious eye damage/irritation : Not classified (Lack of data)
pH: 6.5

Respiratory or skin sensitisation : Not classified (Lack of data)

Germ cell mutagenicity : Not classified (Lack of data)

Carcinogenicity : Not classified (Lack of data)

Reproductive toxicity : Not classified (Lack of data)

STOT-single exposure : Not classified (Lack of data)

STOT-repeated exposure : Not classified (Lack of data)

Aspiration hazard : Not classified (Lack of data)

AIR FRESHENER REFILL - CITRUS ZING	
Vaporizer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

Ethanol (64-17-5)	
LC50 fish 1	14200 mg/l
LC50 fish 2	13000 mg/l (LC50; 96 h; Salmo gairdneri; Static system; Fresh water)
EC50 other aquatic organisms 1	5012 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	275 mg/l IC50 algea (72 h) mg/l

Sodium Benzoate (532-32-1)	
LC50 fish 1	> 100 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 1	< 650 mg/l (EC50; 48 h)
EC50 Daphnia 2	> 100 mg/l (EC50; 48 h)
EC50 other aquatic organisms 1	> 100 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	30.5 mg/l IC50 algea (72 h) mg/l

Propane (74-98-6)	
Threshold limit algae 2	8 mg/l (IC50; 72 h; Algae)

Triethanolamine (102-71-6)	
LC50 fish 1	11800 mg/l
LC50 fish 2	450 - 1000 mg/l (LC50; 96 h; Lepomis macrochirus)
EC50 other aquatic organisms 1	2038 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	216 mg/l IC50 algea (72 h) mg/l

IsoButane (75-28-5)	
LC50 fish 1	9.89 mg/l (LC50; 96 h; Pimephales promelas)
LC50 fish 2	27.98 mg/l (LC50; Other; 96 h; Pisces; Fresh water)
EC50 Daphnia 1	10.67 mg/l (LC50; 48 h; Daphnia magna)
EC50 Daphnia 2	16.33 mg/l (LC50; 48 h; Daphnia sp.)
Threshold limit algae 2	7.15 mg/l (EC50; 72 h; Algae)

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
EC50 other aquatic organisms 1	>= 100 mg/l (3 h; Activated sludge)
EC50 other aquatic organisms 2	88.3 mg/l IC50 algae (72 h) mg/l
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)

Diethyl phthalate (84-66-2)	
LC50 fish 2	17 ppm (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 2	52 mg/l (EC50; 48 h)

Citral (5392-40-5)	
LC50 fish 1	4.1 mg/l
EC50 Daphnia 1	7 mg/l (EC50; 48 h)
EC50 other aquatic organisms 1	7 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	5 mg/l IC50 algae (72 h) mg/l
Threshold limit algae 1	16 mg/l (EC50; 72 h)

12.2. Persistence and degradability

Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	0.43

Sodium Benzoate (532-32-1)	
Persistence and degradability	Readily biodegradable in water.

Propane (74-98-6)	
Persistence and degradability	Readily biodegradable in water. Not applicable (gas). Photodegradation in the air.

Triethanolamine (102-71-6)	
Persistence and degradability	Readily biodegradable in water. Highly mobile in soil. Photolysis in the air.
Biochemical oxygen demand (BOD)	0.02 g O ₂ /g substance
Chemical oxygen demand (COD)	1.5 g O ₂ /g substance
ThOD	2.04 g O ₂ /g substance
BOD (% of ThOD)	0.02

IsoButane (75-28-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Not applicable (gas).

Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance

Lemon Oil (8008-56-8)	
Persistence and degradability	Biodegradability in water: no data available.

Sweet Orange Oil (8008-57-9)	
Persistence and degradability	Biodegradability in water: no data available.

Diethyl phthalate (84-66-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photolysis in the air.

Citral (5392-40-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Ozonation in the air. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.556 g O ₂ /g substance
Chemical oxygen demand (COD)	1.99 g O ₂ /g substance
ThOD	2.84 g O ₂ /g substance

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

Ethanol (64-17-5)	
BCF fish 1	1 (BCF; Other; 72 h; Cyprinus carpio; Static system; Fresh water; Read-across)
Log Pow	-0.35 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 24 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Sodium Benzoate (532-32-1)	
Log Pow	0.84
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Propane (74-98-6)	
BCF fish 1	9 - 25 (BCF)
Log Pow	2.28 (Calculated)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Triethanolamine (102-71-6)	
BCF fish 1	< <0.4-<3.9,BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 42 days; Cyprinus carpio; Flow-through system; Fresh water; Experimental value
Log Pow	-2.3 - 1.34 (Weight of evidence approach; -1; QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
IsoButane (75-28-5)	
BCF fish 1	20 - 52 (BCF)
BCF other aquatic organisms 1	20 - 52 (BCF)
Log Pow	2.8 (Experimental value; 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Linalool (78-70-6)	
Log Pow	2.84 - 3.145
Bioaccumulative potential	Bioaccumable.
Lemon Oil (8008-56-8)	
Bioaccumulative potential	No bioaccumulation data available.
Sweet Orange Oil (8008-57-9)	
Bioaccumulative potential	No bioaccumulation data available.
Diethyl phthalate (84-66-2)	
BCF fish 1	15 - 16 (BCF)
BCF fish 2	117.5 (BCF; 504 h)
BCF other aquatic organisms 1	1100 ppb (BCF)
BCF other aquatic organisms 2	340 - 450 ppb (BCF)
Log Pow	1.4 - 2.82
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Citral (5392-40-5)	
BCF other aquatic organisms 1	250 (BCF)
Log Pow	3.45
Bioaccumulative potential	Bioaccumable.

12.4. Mobility in soil

Ethanol (64-17-5)	
Surface tension	0.0245 N/m (20 °C)
Log Koc	Koc,PCKOCWIN v1.66; 1; Read-across
Propane (74-98-6)	
Surface tension	0.016 N/m (-47 °C)
IsoButane (75-28-5)	
Surface tension	0.014 N/m (-10 °C)
Diethyl phthalate (84-66-2)	
Surface tension	0.0375 N/m (20 °C)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830






SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADN / ADR / IATA / IMDG / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

- Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

- Air transport

PCA Excepted quantities (IATA)	: E0
--------------------------------	------

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

- Inland waterway transport

Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1

- Rail transport

Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2

AIR FRESHENER REFILL - CITRUS ZING

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1	Skin sensitisation, Category 1
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product